

IFW

Docket No.: P-0560

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Jung Hoon KIM

Serial No: 10/623,570

Filed: July 22, 2003

Confirmation No.: 6556

Group Art Unit: 2816

Examiner: Jeffrey Olsen

Customer No.: 34610



For: MULTI CLOCK DECIDING SYSTEM

U.S. Patent and Trademark Office
 220 20th Street S
 Customer Window, Mail Stop Amendment
 Crystal Plaza Two, Lobby, Room 1B03
 Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

 No additional fee is required. Also attached:

The fee has been calculated as shown below:

| | NO. OF CLAIMS | HIGHEST PREVIOUSLY PAID FOR | EXTRA CLAIMS | RATE | FEE |
|--|---------------|-----------------------------|--------------|-------------|-----|
| Total Claims | 26 | 29 | | x \$50.00 = | \$ |
| Independent Claims | 2 | 3 | | x \$200.00= | \$ |
| If multiple claims newly presented, add \$360.00 | | | | | |
| Fee for extension of time | | | | | |
| TOTAL FEE DUE | | | | | \$ |

Please charge my Deposit Account No. 16-0607 in the amount of \$_____. An additional copy of this transmittal sheet is submitted herewith.

A check in the amount of \$ _____ (Check #_____) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
 Registration No. 36,186
 David A. Bilodeau
 Registration No. 42,325

P.O. Box 221200
 Chantilly, VA 20153-1200
 (703) 766-3701 DYK:DAB/cah:lew
 Date: December 20, 2004



Docket No.:P-0560

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Confirmation No.: 6556

Jung Hoon KIM Group Art Unit: 2816

Serial No.: 10/623,570 Examiner: Jeffrey Olsen

Filed: July 22, 2003 Customer No.: 34610

For: MULTI CLOCK DECIDING SYSTEM

AMENDMENT

U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Office Action of September 22, 2004, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 12 of this paper.